

To: Keith Roberts Attn: Kirk H. Brown

From: Jack A. Elston By: Michael Brand While Bull

Subject: Pavement Design Approval

Date: December 19, 2019

Route: FAP 310 (US 67)

Section: 42-2 County: Jersey Contract: 76568

Limits: New Delhi Bypass

We have reviewed the pavement design for the above referenced project which was most recently submitted on December 18, 2019. The scope of the project involves constructing a new 2.5 mile, 4-lane bypass of New Delhi on new alignment.

Considering the large increase in multi-unit trucks associated with the proposed multi-modal development just to the north of New Delhi, we concur with the district it is most appropriate to treat this as a "special design". We also concur with using a rigid pavement as it would best handle the high volume of truck turning at the intersections at each end of the project. Further, the designed thickness of the rigid pavement is less variable in relation to the volume of trucks so would best able to handle additional truck traffic if the size of the development increases over time.

In summary the approved pavement designs are as follows:

US 67 New Construction
10.5" PCC w/ 10.5" Tied PCC Shoulders
4" Stabilized Subbase
12" Aggregate Subgrade Improvement

If you have any questions, please contact Mike Brand at (217) 782-7651.

To: Jack Elston Attn.: Michael Brand

From: Keith Roberts By: Kirk H. Brown

Subject: Pavement Design Review – Special Design

Date: December 18, 2019

FAP Route 310 (US 67) Section 42-2 Jersey County Contract 76568

Grading, Drainage & Paving on New Alignment for New Delhi Bypass

This project consists of constructing four lanes of US Route 67 along a new alignment to bypass New Delhi. Therefore, Mechanistic Rigid and Flexible pavement designs were performed and evaluated for the new pavement to be constructed.

Project Information

- US Route 67 is designed as "Other Marked State Route"
- Total length of project is approximately 13,030 feet
- Approximate areas
 - o Pavement: 77,415 square yards
 - Shoulder: 40,540 square yards
- Traffic data was taken from IDOT's ADT webpage
- Traffic assumptions:
 - Assume 12,500 MU from the projection of a full development
 - Assume 25% of the full development traffic, we would have PV 11,800 (74.5%), SU 925 (5.8%), MU 3,125 (19.7%)
 - This results in 703 MUs in the design lane, which qualifies as highstress
- The adjacent pavement structure south of the proposed bypass is 14" fulldepth HMA over 12" lime modified soil
- The subgrade support ratio (SSR) for this location is "poor"
- RGR recommends the subgrade be modified with lime with areas requiring an aggregate subgrade due to the soil in these areas not conductive with lime

The Mechanistic designs resulted in:

- 10 ½" JPC pavement
- 14 1/4" Full-Depth HMA pavement.

The District is requesting this to be considered a Special Design. There is the potential for a Multi-Modal Business Park will be built just north of this new roadway alignment. This new facility will tie into the Delhi Bypass as one of the primary routes in and out of the area. The new facility has just begun planning and final traffic studies are not available. So as not to delay our IDOT project, the District is moving forward with this Rebuild Illinois project. Once the Multi-Modal Business Park has provided sufficient traffic data, District 8 and Jersey County Highway Department will work together to best address any additional traffic and safety improvements to this new alignment.

The District is proposing the rigid design with an aggregate subgrade improvement (reasons shown below) and is recommending the following pavement design:

- 10 ½" JPC pavement with same depth PCC shoulders
- 4" Stabilized subbase
- 12" Aggregate Base

The rigid design will allow widening for any turn lanes or other lanes as necessary which would be tied into the mainline pavement. The District proposes using an Aggregate Subgrade Improvement instead of Lime Modified Soil due to constructability issues with the previous south sections of US 67. Many wet pockets in the subgrade were encountered and had to be removed and replaced with an aggregate base. The District would like the subgrade to be uniform throughout the project and provide additional strength for the potential future development.

If you have any questions or comments, please contact Rob Harbaugh (618) 346-3195 or Tiffany Brase at (618) 346-3175.


Kirk H. Brown, P.E.

Program Development Engineer


Bukt broug

Attachments

 $RDH/S: \ \ County \ \ Delhi \ by pass \ \ Pavement \ Design \ (updated) \ to \ BDE \ for \ review. docx$




TAP	SECTION	COUNTY	TOTAL SHEETS	\$4657 80
310	42-2	JERSEY	393	10
STA		TO STA		
EXISTI	NG CONDITION	IS:		



PLAN SIRVEYED
RUTED
NOTE BOOK RICHERED
NO. CADD FILE NAME


DETAIL OF SHOULDER CURB (STD 610001) (NOT TO SCALE)

STA 346+86 TO STA 351+40 LT STA 434+92 TO STA 440+25 LT STA 345+00 TO STA 351+40 RT STA 401+87 TO STA 402+09 RT STA 435+87 TO STA 440+25 RT



TYPICAL SECTION - FAP 310

*** DIMENSIONS WHERE FULL LEFT TURN HAS DEVELOPED STA 355+36.13 TO STA 358+90.49



MATERIAL LEGEND:

- 17 AGGREGATE SHOULDERS, TYPE B
- SHOULDERS,
- (19) PIPE UNDERDRAIN 4"
- @ PROPOSED PAVEMENT
- (2) IMPROVED SUBGRADE
- 22 COMBINATION CONCRETE CURB AND GUTTER, TYPE M4.24
- (23) COMBINATION CONCRETE CURB AND GUTTER, TYPE M4.06
- (24) CONCRETE MEDIAN SURFACE 6"
- 25) SUBBASE GRANULAR MATERIAL, TYPE C 6"

- (26) HOT-MIX ASPHALT SURFACE COURSE, MIX "C", NTO, 11/2
- 27 LEVELING BINDER (MACHINE METHOD), N70, 11/2"
- (28) AGGREGATE BASE COURSE, TYPE B. 8"
- 29 AGGREGATE BASE COURSE, TYPE B, 11"
- 30 AGGREGATE SHOULDERS, TYPE A, 6"
- 31) CONCRETE MEDIAN, TYPE SM
- 32) SUBBASE GRANULAR MATERIAL, TYPE B, 12"
- 33 SUBBASE GRANULAR MATERIAL, TYPE B. 4"
- 34 HOT-MIX ASPHALT BINDER COURSE, IL 19.0, N70, 12"
- 35) AGGREGATE SURFACE COURSE, TYPE A, 15"

NOTE: SAW CUT AND REMOVE HMA WEDGE PRIOR TO INSTALLATION OF PIPE UNDERDRAINS, 4"

ALL UNITS ARE IN FEET UNLESS OTHERWISE SHOWN


ILLINOIS DEPARTMENT OF TRANSPORTATION


PROPOSED TYPICAL SECTIONS

FAP ROUTE 310 (US 67) SECTION 42-2 JERSEY COUNTY

DATE

CHECKED BY: CAS





IDOT MECHANISTIC PAVEMENT DESIGN

Printed: 12/18/2019 PROJECT AND TRAFFIC INPUTS (Enter Data in Gray Shaded Cells) Route: FAP 310 (US67) Comments: Previous Pavement Design was done more than 5 years ago. ADT and truck traffic projections Section: 42-2 also have changed. Traffic Data from IDOT's ADT webpage Design Date: County: Jersey <-- BY Location: New Delhi by-pass Modify Date: <-- BY ADT Year Current: 11,200 2017 Facility Type Other Marked State Route Future: # of Lanes = Structural Design Traffic Minimum % of ADT in Actual Actual %of Road Class: ADT ADT Total ADT Design Lane PV = 15,950 79.8% 4.6% Poor Subgrade Support Rating (SSR): SU = 250 925 S = 45% 15.6% 45% Construction Year: 2022 MU = 750 3,125 M = Struct. Design ADT = Design Period (DP) = 20 20,000 (2032)years TRAFFIC FACTOR CALCULATION **FLEXIBLE PAVEMENT** RIGID PAVEMENT Cpv = 0.15 Cpv = 0.15 Csu = 132.5 Csu = 143.81 Cmu = 482.53 Cmu = 696.42

NEW CONSTRUCTION / RECONSTRUCTION PAVEMENT DESIGN CALCULATIONS							
Full-Depth HMA Pavement			JPC Pavement				
	Use TF flexible =	14.69		Use TF rigid =	20.80		
	PG Grade Lower Binder Lifts =	PG 64-22	(Fig. 53-4.O)	Edge Support =	Tied	Shoulder or C&G	
Goto Map	HMA Mixture Temp. =	79.0	deg. F (Fig. 54-5.C)	Rigid Pavt Thick. =	10.50	in. (Fig. 54-4.E)	
	Design HMA Mixture Modulus (E _{HMA}) =	580	ksi (Fig. 54-5.D)				
	Design HMA Strain (ϵ_{HMA}) =	56	(Fig. 54-5.E)	(CRC Pave	ment	
	Full Depth HMA Design Thickness =	14.25	in. (Fig. 54-5.F)	Use TF rigid =	20.80		
Goto Map	Limiting Strain Criterion Thickness =	16.25	in. (Fig. 54-5.I)	IBR value =	3		
	Use Full-Depth HMA Thickness =	14.25	inches	CRCP Thickness =	10.00	in. (Fig. 54-4.M)	

(Actual ADT)

(Min ADT Fig. 54-2.C)

TF MUST BE > 60 FOR CRCP

5.02

(Actual ADT)

(Min ADT Fig. 54-2.C)

TF rigid (Actual) = 20.80

TF rigid (Min) =

RECONSTRUCTION ONLY (SUPPLEMENTAL) PAVEMENT DESIGN CALCULATIONS					
	HMA Pavement Over Rubb	Unbonded Concrete Overlay			
Goto Map	, ,	in. (Fig. 54-5.U) in. (Fig. 54-5.V)	Review 54-4.03 for limitations and special considerations.		
	Use HMA Overlay Thickness = 999.00 i	inches	JPCP Thickness = NA inches		

CONTACT RESEARCH FOR ASSISTANCE

DESIGN TABLES FROM BDE MANUAL CHAPTER 54 - PAVEMENT DESIGN

Class I Roads	Class II Roads	Class III Roads	Class IV Roads
4 lanes or more	2 lanes with ADT > 2000	2 Lanes	2 Lanes
Part of a future 4 lanes or more	One way Street with ADT <= 3500	(ADT 750 -2000)	(ADT < 750)
One-way Streets with ADT > 3500			

	Min. Str. Design Traffic (Fig 54-2.C)			
Facility Type	PV	SU	MU	
Interstate or Freeway	0	500	1500	
Other Marked State Route	0	250	750	
Unmarked State Route	No Min	No Min	No Min	

TF flexible (Actual) =

TF flexible (Min) =

14.69

3.56

	Traffic Factor ESAL Coefficients				
	Rigid (Fig. 54-4.C)	Flexible (Fig. 54-5.B)		
Class	Csu Cmu		Csu	Cmu	
I	143.81	696.42	132.50	482.53	
II	135.78	567.21	112.06	385.44	
III	129.58	562.47	109.14	384.35	
IV	129.58	562.47	109.14	384.35	

Class Table for			
One-Way Streets			
ADT Class			
0 - 3500 II			
>3501	1		

Class Table for			
2 or 3 lanes			
(not future 4 lane &			
not one-way street)			
ADT	Class		
ADT 0 - 749	Class		
,,,,,,	Class IV III		

	Design Lane Distribution Factors For Structural Design Traffic (Fig. 54-2.B)					
	Rural Urban					
Number of Lanes	Р	S	М	Р	S	М
1 Lane Ramp	100%	100%	100%	100%	100%	100%
2 or 3	50%	50%	50%	50%	50%	50%
4	32%	45%	45%	32%	45%	45%
6 or more	20%	40%	40%	8%	37%	37%